



MEETS THE STANDARDS

WILDFIRE
PREPARED
— A PROGRAM OF IBHS —



ICC
EVALUATION
SERVICE®

ENVIRONMENT FRIENDLY

- FIRE-RESISTANT
ASTM E2768 CLASS A
RATING-"O" FLAME SPREAD
- 100% RECYCLABLE

CUSTOMIZE TO FIT YOUR NEEDS

- CAN BE COATED TO MATCH ANY AESTHETIC
- UNLIMITED STYLES —
CAN BE FABRICATED TO ANY
STYLE. MAKE IT BLEND IN OR
STAND OUT

SAVE ON MAINTENANCE

- HOT DIPPED GALVANIZED



840-242-2137 | www.mwfsolutions.com | License 1274255



BALBOA  **FENCE**

WHY CHOOSE MWF SOLUTIONS?

- **Unmatched Durability:** Backed by a 20yr. lifespan
- **Personalized Style:** Choose any paint color to match your aesthetic.
- **Hassle-Free Installation:** Designed for easy install—no brackets or screws required. Do it yourself, or hire a contractor.
- **Proudly American-Made Galvanized Steel Fence Products:** Quality craftsmanship you can trust.
- **Versatile Options:** Multiple options for style and sizes to fit your needs.



MWF Solutions vs. Typical Competing Products^{*}

Feature & Benefit Comparison

Feature/Benefit	MWF Solutions	Typical competing products [*]
American-Made Galvanized Steel Fence Products	✓ Yes	✗ No
Manufactured in Southern California	✓ Yes	✗ No
Hot-Dipped Galvanized Coil	✓ Yes	✗ No
Paint Any Color	✓ Yes	✗ No
Do It Yourself Friendly	✓ Yes	✗ No
No Brackets Required	✓ Yes	✗ No
Can Adjust to Uneven Terrain	✓ Yes	✗ No
Wind Testing Available - Tested to 130 mph Wind Loads	✓ Yes	✗ No

MWF ALUMINUM GATES

Built Stronger. Protected Longer.

Fabricated from high-strength 16-gauge (0.065") 6061 structural aluminum, our gates deliver up to twice the yield strength of common architectural 6063 aluminum while maintaining superior weld integrity.

To ensure long-term performance, every gate features a marine-grade epoxy primer base coat beneath the final exterior finish. Much like the multi-stage barrier coatings engineered for automotive and marine environments, this dual-layer system seals the aluminum substrate to prevent white rust, oxidation, and finish failure.



HAYDEN VERTICAL



HAYDEN HORIZONTAL



HAYDEN VERTICAL



HAYDEN VERTICAL



HAYDEN VERTICAL



CANFIELD HORIZONTAL




DALTON HORIZONTAL




RIMROCK HORIZONTAL


HAYDEN VERTICAL



HAYDEN HORIZONTAL



CANFIELD HORIZONTAL



GREENFIELD METAL SYSTEMS, INC.

DBA MWF SOLUTIONS

Metal Wall and Fence Solutions

MANUFACTURER'S LIMITED PRODUCT WARRANTY

15535 Arrow Route, Fontana, CA 92335

IMPORTANT NOTICES

This is a LIMITED WARRANTY. Please read it carefully. This warranty covers the MWF Solutions manufactured fence products only. It does not cover the installation labor or workmanship of any contractor. Installation labor is covered by a separate Installation Workmanship Warranty (if any) issued by the installing contractor.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

PRE-SALE AVAILABILITY: A complete copy of this warranty is available before purchase at mwfsolutions.com, by mail or telephone request to the Warranty Service Department identified in Section 7, and from each authorized MWF Solutions dealer.

SECTION 1. DEFINITIONS

As used in this Limited Warranty:

- **"Company"** means MWF Solutions, a brand operated by Greenfield Metal Systems, Inc., located at 15535 Arrow Route, Fontana, CA 92335.
- **"Product"** means any metal wall or fence product manufactured by or on behalf of the Company and sold under the MWF Solutions brand. MWF Solutions offers Product in multiple galvanization grades as published on the Company's website (mwfsolutions.com), including G90, G115, G135, and G150 hot-dipped galvanized steel substrate, each with the UV primer coating system. All MWF Solutions product lines, regardless of galvanization grade, are subject to the same warranty terms under this document, subject to the environment-specific requirements in Sections 2.4 and 4.2 below.
- **"Purchaser"** means the original retail end-user who takes delivery of the Product, whether directly from the Company, from an authorized dealer, or through a licensed contractor who delivers this warranty to the Purchaser at or before installation.
- **"Date of Delivery"** means the later of (a) the date the Product is physically delivered to the installation site, or (b) the date the Product is delivered or installed for the Purchaser's account, but in no event earlier than the date of delivery of the Product to the Purchaser as required by California Civil Code § 1793.01. Where the Product is held by an installer before installation, the warranty period does not begin until delivery to the Purchaser or the Purchaser's installation site.
- **"Substrate"** means the hot-dipped galvanized steel base material forming the structural core of the Product, in the galvanization grade ordered by the Purchaser (G90, G115, G135, or G150 as published by the Company at mwfsolutions.com), including the zinc coating layer integral to the galvanization process.
- **"Coating" or "Finish"** means the UV primer coat applied at the factory.
- **"Topcoat"** means a water-based industrial-grade UV-resistant topcoat meeting the performance specifications published by the Company at mwfsolutions.com and available by mail or telephone request (the "Topcoat Performance Specification"), applied by the Purchaser or the Purchaser's installer over the UV primer at the time of installation and reapplied as required under Section 2.3. The Purchaser may use any commercially available Topcoat product meeting the Topcoat Performance

Specification; the Company does not require the use of any specific brand.

- **"Normal Use and Environmental Conditions"** means use of the Product in a standard non-Marine residential environment, in accordance with the Company's published installation, maintenance, and care guidelines.
- **"Marine Environment"** means any installation location within one (1) mile of ocean or tidal saltwater. G90 galvanized Products are NOT rated for Marine Environment installations. Purchasers installing in Marine Environments must order G115 galvanized Product or higher (G135 or G150), which is available from the Company at additional cost.
- **"Defect"** means a material imperfection in workmanship or materials present at the time of manufacture that causes the Product to fail its intended function under Normal Use and Environmental Conditions.
- **"Field Cut"** means any cut, nick, drill hole, or abrasion made to the Product after manufacture that breaches the galvanized coating layer.

SECTION 2. WHAT THIS WARRANTY COVERS

2.1 Thirty (30)-Year Limited Substrate Warranty

Subject to all terms, conditions, and exclusions of this Limited Warranty, the Company warrants to the original Purchaser that the hot-dipped galvanized steel Substrate of each Product (in the galvanization grade ordered by the Purchaser) will not perforate due to corrosion resulting from a Defect in materials or workmanship for thirty (30) years from the Date of Delivery, under Normal Use and Environmental Conditions appropriate to the galvanization grade selected.

Industry reference data: Hot-dipped galvanized steel is recognized by industry technical references, including published service-life data of the American Galvanizers Association, for extended corrosion resistance, and heavier galvanization grades provide proportionally greater zinc coverage. These references are provided as general industry background only. They are not an independent warranty, guarantee, or representation of the service life of any particular Product in any particular installation environment, and the Company's warranty obligation is defined solely by the express terms of this document. Surface oxidation, isolated rust specks, or aesthetic weathering occurring within the warranty period does not constitute perforation and is not a covered Defect.

2.2 Ten (10)-Year Limited Coating Warranty

Subject to all terms, conditions, and exclusions of this Limited Warranty, and subject to the maintenance conditions in Section 2.3, the Company warrants to the original Purchaser that the UV primer coat as applied at the factory will not peel, flake, crack, or blister due to a Defect in materials or workmanship for ten (10) years from the Date of Delivery, under Normal Use and Environmental Conditions.

2.3 Maintenance Conditions for Coating Warranty

The ten (10)-year coating warranty is conditioned on the maintenance requirements below. Except for the bright-line conditions stated in the next paragraph, failure to perform a maintenance requirement excludes coverage only to the extent the failure caused or materially contributed to the claimed condition.

Bright-line conditions. Coating warranty coverage at an affected location is void if (a) no initial Topcoat meeting the Topcoat Performance Specification was applied at installation; (b) a Field Cut was not sealed in accordance with the three-step procedure in Section 4.3; or (c) the Topcoat was not reapplied within the applicable recoat interval stated below. For these three conditions, causation is inherent and coverage at the affected location is excluded.

- Initial Topcoat Application. The Purchaser shall apply, or cause to be applied, a Topcoat meeting the Topcoat Performance Specification immediately upon installation, in accordance with that Topcoat product's written instructions. The Purchaser may use any commercially available Topcoat meeting the Performance Specification; no specific brand is required.
- Standard Environment Recoat Interval. In standard non-Marine residential environments not subject to accelerated degradation conditions, the Topcoat must be reapplied no later than every five (5) years from the prior application.
- Accelerated-Degradation Environment Recoat Interval. In any installation environment subject to accelerated coating degradation, including without limitation Marine Environments, locations within one (1) mile of swimming pools or spas, locations exposed to chlorine, locations exposed to reclaimed or recycled water, and locations subject to regular contact with irrigation or sprinkler water, the Topcoat must be reapplied no later than every three (3) years from the prior application.
- Quarterly Washing. The Purchaser shall wash the entire Product no less frequently than every three (3) months under standard conditions, using mild soap and water in accordance with the Company's maintenance guidelines. In environments subject to accelerated degradation (Marine, pool/spa, road-salt zones, high-mineral or reclaimed water exposure), more frequent washing is required as reasonable to maintain the Product surface free of accumulated contaminants.
- Quarterly Inspection. The Purchaser shall inspect the Product no less frequently than every three (3) months for scratches, cuts, abrasions, Field Cuts requiring sealing, vegetation contact, organic material accumulation, hard-water staining, salt-water exposure, irrigation overspray, and visible coating deterioration.
- Prompt Removal of Contaminants. The Purchaser shall promptly remove, upon discovery, any tar, grease, pitch, bird droppings, tree sap, salt water, salt spray residue, chlorine residue, swimming pool or spa water residue, acid rain residue, industrial fallout, road salt, or other corrosive or etching substance from any Product surface, using mild soap and water or other method approved in the Company's maintenance guidelines.
- Records. The Purchaser should maintain reasonable records of Topcoat applications, recoat events, washings, inspections, and contaminant removals. Reasonable evidence of maintenance is sufficient; formal written logs are not required. A missing individual record will not alone defeat coverage unless the missing information is material to determining coverage or the absence of maintenance caused or materially contributed to the claimed failure.

The Topcoat Performance Specification and installation/maintenance guidelines are available at no cost on mwfsolutions.com and by mail or telephone request to the Warranty Service Department identified in Section 7.

2.4 Galvanization Grade Selection and Marine Environment Requirements

The Company offers Product in four hot-dipped galvanized steel grades as published at mwfsolutions.com: G90 (standard), G115, G135, and G150 (each providing progressively heavier zinc coverage). G90 Products are NOT rated for Marine Environment installations. Purchasers installing in

Marine Environments must order G115 Product or higher (G135 or G150), each available from the Company at additional cost. A Purchaser who installs G90 Product in a Marine Environment assumes all risk of accelerated corrosion, and the warranties in Sections 2.1 and 2.2 are void with respect to such installation. The Purchaser is solely responsible for selecting the galvanization grade appropriate to the actual installation environment.

2.5 Implied Warranties

Implied warranties, if any, are not disclaimed. To the fullest extent permitted by applicable law, the duration of any implied warranty is limited to the shortest period permitted by applicable law. For consumer goods sold at retail in California, implied warranties are coextensive in duration with the express warranty but in no event less than sixty (60) days nor more than one (1) year following the sale of new consumer goods to a retail buyer, in accordance with California Civil Code § 1791.1(c). Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

2.6 Magnuson-Moss Compliance

This Limited Warranty is intended to comply with the federal Magnuson-Moss Warranty Act, 15 U.S.C. § 2301 et seq., and the regulations of the Federal Trade Commission at 16 C.F.R. Parts 700-703.

2.7 Warranty Start Date

The warranty periods set forth in this Section 2 commence on the Date of Delivery as defined in Section 1, and in no event earlier than the date permitted by California Civil Code § 1793.01.

SECTION 3. WHAT THE COMPANY WILL DO — REMEDIES AND PRORATION

3.1 Election of Remedy. If a covered Defect is determined to exist after reasonable investigation, the Company shall, at its option, elect one of the following remedies:

- Repair the Defective Product or component(s) within a reasonable time and at no charge to the Purchaser for the cost of the replacement parts;
- Replace the Defective Product or component(s) with product of equal or greater value; or
- Issue a refund or credit, prorated as set forth in Section 3.2.

The Company's claim determination is not final or binding and does not limit any rights or remedies the Purchaser may have under applicable law.

3.2 Proration of Refund or Credit

Any refund or credit issued by the Company shall be prorated based on the elapsed time between the Date of Delivery and the date the Purchaser first provides written notice of the claim (not the date the claim is deemed complete):

- Substrate Warranty Claims. Refund equals the original purchase price for the affected Product, multiplied by (Years Remaining / 30), where Years Remaining equals 30 minus the number of complete years between the Date of Delivery and the date of first written notice of the claim.
- Coating Warranty Claims. Refund equals the original purchase price attributable to the coated component, multiplied by (Years Remaining / 10).

The Company may request additional information reasonably necessary to evaluate the claim without changing the proration date. Example: A Substrate Claim noticed in year 10 of the 30-year warranty yields 75% of the affected Product's original purchase price.

3.3 Limitation on Remedy Scope

Except where prohibited by applicable law, the Company's remedy obligation under this Limited Warranty does not include the cost of removal, transportation, reinstallation, sales tax, delivery charges, labor charges, or any other ancillary expense, unless the Company expressly agrees in writing.

California Consumer Goods Carve-Out. For Products sold as consumer goods in California, nothing in this Limited Warranty excludes or limits any repair, replacement, transportation, installation, reimbursement, timing, tolling, or other remedy required by the Song-Beverly Consumer Warranty Act (California Civil Code §§ 1790-1795.8) or other non-waivable law. Where a Product sold as a California consumer good cannot reasonably be returned for service due to its size, weight, method of attachment, or method of installation, the Company will service or repair the Product at its location, arrange for pickup or transport at the Company's expense, or, where the Product cannot practicably be serviced because of its affixation to real property, replace and install the Product or reimburse the purchase price including installation costs, less an amount attributable to use before the Purchaser discovered the nonconformity, as required by California Civil Code § 1793.2.

Replacement Products are warranted only for the unexpired remainder of the original warranty period. Issuance of a replacement Product, refund, or credit does not restart or extend any warranty period, except as required by California Civil Code § 1795.6 (tolling during warranty repair periods).

SECTION 4. WHAT THIS WARRANTY DOES NOT COVER — EXCLUSIONS

This Limited Warranty does NOT cover damage, deterioration, or failure arising from the following, except where coverage is required by non-waivable applicable law:

4.1 Installation Workmanship (Separate Document)

This Limited Warranty does not cover the workmanship or quality of installation labor.

Installation labor performed by any third-party contractor is the responsibility of that contractor under its own workmanship warranty, if any.

4.2 Marine and Coastal Environments — Galvanization Grade Requirement

Any damage, corrosion, or coating failure where any galvanized steel grade other than G115 or higher (G135 or G150) was installed in a Marine Environment as defined in Section 1. G90 galvanized Products are NOT rated for Marine Environment installations. Installation of any galvanization grade other than G115 or higher in a Marine Environment voids all warranty coverage for the installed Product. Purchasers installing in Marine Environments are responsible for ordering G115 Product or higher, which is available from the Company at additional cost. The Company requires a signed Environmental Disclosure and Grade Acknowledgment (Exhibit A) at the point of sale identifying the installation environment and the galvanization grade ordered.

4.3 Field Cuts — Required Sealing Procedure

Any corrosion, rust, or failure originating at or propagating from a Field Cut where the affected area was not sealed in compliance with the following procedure immediately upon making the cut:

- (1) Remove all metal shavings and debris from the cut area;
- (2) Apply a zinc-rich primer thoroughly to cover the cut edge and any drilled holes; and
- (3) After the primer dries, apply two (2) coats of color-matched Topcoat meeting the Topcoat Performance Specification.

ALL Field Cuts, whether made during installation or thereafter, must be sealed using this three-step procedure. Failure to seal any Field Cut in compliance with this procedure voids coverage at and around the affected area.

4.4 Post Holes

6" of gravel or rock inserted into the bottom of the 30" deep post hole. The overall post hole will be 10"x30" with 6" of gravel/rock filling the bottom 6" of the 30" hole.

4.5 Acts of God and Weather Events

Any damage caused by acts of God, natural disasters, earthquakes, floods, fires, wildfires, hurricanes, tornadoes, high winds, hailstorms, lightning, falling trees, ground shifting, soil erosion, or other extreme weather or geologic events.

4.6 Vegetation, Vines, and Organic Material Contact

Any damage, corrosion, staining, or coating failure caused or contributed to by the growth of, contact with, or accumulation of vegetation, vines, ivy, moss, algae, lichen, tree sap, or any other organic material on, against, or in immediate contact with any Product surface.

4.7 Adhesion of Wire Mesh or Similar Materials

Any damage caused by adhesion or attachment of chicken wire, chain-link mesh, welded wire, decorative netting, screening, or other similar materials to the Product.

4.8 Redirected or Concentrated Water Exposure

Any damage or coating failure caused or contributed to by water, moisture, or condensation redirected, channeled, concentrated, or discharged onto or against the Product from any structure, fixture, or equipment, including without limitation decking, patios, deck drainage, gutters, downspouts, roof drainage, misting fans, cooling systems, outdoor lighting fixtures, or similar structures or devices.

4.9 Irrigation, Sprinklers, Reclaimed Water, and High-Mineral Water

Installations subject to regular contact with irrigation, sprinkler, drip, or soaker-hose water, reclaimed or recycled water, greywater, or high-mineral-content water are accelerated-degradation environments under Section 2.3 and require Topcoat reapplication no later than every five (5) years. Where the Purchaser follows the accelerated three-year recoat schedule and the other maintenance conditions in Section 2.3, damage in such environments is covered to the same extent as in standard environments. Where the Purchaser does not follow the accelerated five-year recoat schedule, damage caused or materially contributed to by such water exposure is excluded.

4.10 Customer-Caused Physical Damage and Modifications

Any damage caused by any act or omission of the Purchaser, property owner, installer, contractor, or any third party, including without limitation:

- String trimmers, weed whackers, lawn mowers, edgers, or similar lawn and garden equipment;
- Power tools, hand tools, cutting devices, abrasive equipment, or any cutting or drilling not followed by the Section 4.3 sealing procedure;
- Impact damage from vehicles, machinery, projectiles, animals, or physical force;
- Scratches, abrasions, or surface damage attributable to human activity, negligence, or vandalism;
- Attachment of heavy items including planters, signs, decorations, or other loads to the Product;
- Painting, staining, or other surface alteration of the Product after installation, except for Topcoat reapplication in compliance with Section 2.3;
- Cutting, welding, drilling, or any modification of the Product after installation without the Company's prior written approval.

4.11 Failure to Wash, Inspect, or Remove Contaminants

Any damage or coating failure to the extent caused or materially contributed to by the Purchaser's failure to perform quarterly washing, quarterly inspection, or prompt removal of contaminants as required by Section 2.3. This exclusion applies only to the extent the failure caused or materially contributed to the claimed condition.

4.12 Improper Maintenance

Any damage to the extent resulting from (a) use of cleaning agents, chemicals, abrasive materials, or tools not approved in the Company's maintenance guidelines; or (b) failure to perform the maintenance required by Section 2.3, in each case to the extent such act or omission caused or materially contributed to the claimed condition.

4.13 Industrial and Agricultural Chemicals

Any damage caused by industrial chemicals, pollutants, fertilizers, pesticides, herbicides, agricultural chemicals, or airborne contaminants beyond normal ambient residential levels in direct or repeated contact with the Product.

4.14 Normal Weathering and Aesthetic Variation

Gradual changes in appearance, color, gloss, or surface texture consistent with normal weathering and aging of exterior galvanized steel products, including minor fading, color variation between Products manufactured at different times, isolated rust specks not constituting perforation, and surface oxidation.

4.15 Non-Company and Third-Party Components

Any defect or damage caused by incompatible, improperly installed, nonconforming, or unsuitable third-party components, fasteners, connectors, hardware, coatings, paints, or services, where the Company can demonstrate that such item or service caused or materially contributed to the claimed failure. This exclusion does not void coverage merely because non-Company products were used, and does not apply to the Purchaser's use of any commercially available Topcoat meeting the Topcoat Performance Specification, which is expressly permitted under Section 2. The Company publishes objective performance specifications rather than requiring use of any specific brand.

4.16 Shared Fence Installations and Third-Party Conduct

Where a Product is installed as a shared boundary fence or wall between two or more properties, any damage caused by the maintenance practices, water management, vegetation control, or other conduct of an adjoining property owner or occupant is excluded from coverage.

SECTION 5. TRANSFERABILITY

5.1 Non-Transferable. This Limited Warranty is personal to the original Purchaser only and is NOT transferable to any subsequent owner, occupant, transferee, or assignee of the property upon which the Product is installed. Any attempted transfer is void.

SECTION 6. CONTRACTOR EDUCATION AND PASS-THROUGH OBLIGATIONS

6.1 Annual Contractor Education Program. The Company maintains an annual contractor education program covering installation requirements, Field Cut sealing procedures, Marine Environment limitations, Topcoat application and recoat schedules, washing and inspection requirements, contaminant removal requirements, and the terms of this Limited Warranty. Each contractor purchasing Product directly from the Company is required to complete this annual training program and confirm receipt of this training.

6.2 Pass-Through Obligation. Any licensed contractor purchasing Product for installation on behalf of an end-user Purchaser is contractually required, as a condition of purchase from the Company, to deliver a complete copy of this Limited Warranty, and the installation and maintenance guidelines, to the end-user Purchaser at or before the time of installation. The contractor's failure to deliver these materials does not waive or void the Purchaser's rights under applicable law.

6.3 Warranty Education Resources. The Company maintains a warranty resource center at <https://www.mwfsolutions.com/contact> and available by mail or telephone request, including written installation guidelines, maintenance schedules, the Topcoat Performance Specification, washing and inspection guides, contaminant removal guidance, and recoat reminders.

SECTION 7. CLAIM PROCEDURE AND WARRANTY SERVICE DEPARTMENT

7.1 Warranty Service Department. Warranty claims and warranty inquiries may be directed to:

MWF Solutions — Warranty Service Department

Greenfield Metal Systems, Inc.

15535 Arrow Route, Fontana, CA 92335

Telephone: 1-866-708-1559 (toll free)

Email: info@mwfsolutions.com

Online: <https://www.mwfsolutions.com/contact>

7.2 How to File a Claim. A Purchaser may file a warranty claim by any of the following methods: (a) online at [mwfsolutions.com/contact](https://www.mwfsolutions.com/contact); (b) by mail to the Warranty Service Department address above; or (c) by telephone or email to the Warranty Service Department. No claim method is mandatory; the Purchaser may choose any of the above.

7.3 Requested Documentation. To help the Company evaluate a claim promptly, the Purchaser is asked to provide, where available:

- Purchaser's name and contact information;
- Property address where the Product is installed and the Date of Delivery;
- Proof of purchase identifying the Product, galvanization grade, and Date of Delivery;
- A description of the alleged Defect and the date first observed;
- Photographs of the affected Product and surrounding installation;
- Reasonable evidence of maintenance under Section 2.3 (formal written logs are not required);
- A statement, to the best of the Purchaser's knowledge, regarding the installation and maintenance history of the Product.

The Company may request additional information reasonably necessary to evaluate the claim. Failure to provide a particular record will not alone defeat coverage unless the missing information is material to determining coverage or the absence of maintenance caused or materially contributed to the claimed failure.

7.4 Inspection Right. The Company may inspect the Product in person or through a designated representative. The Purchaser shall make the Product reasonably accessible.

7.5 Response Timeline. The Company shall respond to a claim within a reasonable time, generally within thirty (30) days of receipt, absent conditions beyond the Company's reasonable control. For California consumer goods, the Company will comply with the timing requirements of California Civil Code § 1793.2.

7.6 Reasonable Opportunity to Cure. Pursuant to 15 U.S.C. § 2310(e), the Purchaser shall give the Company a reasonable opportunity to cure any alleged failure to comply with this warranty before filing a civil action. Nothing in this Section requires the Purchaser to pursue any informal dispute settlement procedure as a prerequisite to exercising non-waivable statutory rights.

7.7 Fraudulent Claims. Any claim submitted with knowingly fraudulent documentation or material misrepresentation voids this Limited Warranty with respect to the Product at issue.

SECTION 8. LIMITATION OF LIABILITY

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, THE COMPANY SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES RESULTING FROM ANY BREACH OF THIS LIMITED WARRANTY, OR FROM THE USE, MISUSE, OR INSTALLATION OF THE PRODUCT, INCLUDING WITHOUT LIMITATION LOSS OF PROFITS, LOSS OF USE, LOSS OF PROPERTY VALUE, COST OF REMOVAL OR REINSTALLATION, OR COST OF REPAIR OR REPLACEMENT OF ADJACENT PROPERTY OR LANDSCAPING. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

Nothing in this Limited Warranty limits liability for personal injury, gross negligence, willful misconduct, or any liability that cannot be limited or excluded under applicable law.

Subject to any non-waivable rights and remedies under applicable law (including the California Song-Beverly Consumer Warranty Act and the federal Magnuson-Moss Warranty Act), the Company's contractual liability under this Limited Warranty is limited to the remedies stated herein. This limitation does not apply to any attorney's fees, civil penalties, transport or installation reimbursement, repair-cost damages, or other remedies available under non-waivable law.

SECTION 9. DISPUTE RESOLUTION

9.1 Reasonable Opportunity to Cure. Before filing any legal action arising from this Limited Warranty, the Purchaser must first provide written notice of the claim to the Warranty Service Department and give the Company a reasonable opportunity to cure any alleged breach, as required by 15 U.S.C. § 2310(e).

9.2 No Mandatory Arbitration in This Warranty. Nothing in this Limited Warranty creates a mandatory informal dispute settlement procedure or requires binding arbitration unless the Purchaser has entered into a separate enforceable written arbitration agreement (which may be contained in the Purchaser's sales or installation contract). Nothing in this Limited Warranty limits the Purchaser's right to pursue claims in small claims court or to pursue any non-waivable statutory remedy.

9.3 Venue. Subject to any non-waivable rights under applicable law, and without limiting the Purchaser's right to bring an action in any court of competent jurisdiction or in small claims court, venue for court proceedings may lie in the state or federal courts located in San Bernardino County, California.

SECTION 11. ACKNOWLEDGMENT AND OPTIONAL PRODUCT REGISTRATION**PURCHASER ACKNOWLEDGMENT**

By signing below, the Purchaser confirms receipt and review of this complete Limited Warranty, including all maintenance conditions, exclusions, and limitations, and receipt of the Environmental Disclosure and Grade Acknowledgment (Exhibit A).

Purchaser Name (Print): _____

Purchaser Signature: _____

Date of Delivery: _____

Property Address: _____

Product Description / Line: _____

Galvanization Grade Ordered: ☐ G90 ☐ G115 ☐ G135 ☐ G150

Original Purchase Price: _____

Dealer / Seller Name: _____

Topcoat Product Applied at Install: _____

Date of Initial Topcoat Application: _____

9.4 Governing Law. This Limited Warranty is governed by the laws of the State of California, without regard to conflict of laws principles, and by the federal Magnuson-Moss Warranty Act, 15 U.S.C. § 2301 et seq.

SECTION 10. ADDITIONAL PROVISIONS**10.1 Severability**

If any provision of this Limited Warranty is held invalid, illegal, or unenforceable, it shall be modified to the minimum extent necessary to make it enforceable. All remaining provisions remain in full force and effect.

10.2 Entire Agreement

This Limited Warranty, together with Exhibit A and the Purchaser's underlying sales or installation contract, constitutes the Company's entire written warranty for the Products. Only written warranty modifications signed by an authorized officer of the Company may expand this Limited Warranty.

10.3 No Tie-In Sales

The Company does not require the Purchaser to use any specific brand of cleaner, paint, hardware, fastener, Topcoat, or maintenance product as a condition of warranty coverage. The Purchaser may use any commercially available product meeting the performance specifications published by the Company. This provision is included in express compliance with 15 U.S.C. § 2302(c) and 16 C.F.R. § 700.10.

10.4 No Waiver

The Company's failure to enforce any provision of this Limited Warranty does not constitute a waiver. Any waiver must be in writing signed by an authorized officer of the Company.

10.5 Geographic Application

This Limited Warranty applies only to Products installed in the United States. A separate Commercial/B2B Limited Warranty applies to Products purchased for resale or for use in the ordinary course of business; this consumer Limited Warranty does not apply to such purchases.

10.6 Amendments

The Company may modify this Limited Warranty for Products delivered after the effective date of any modification. The warranty applicable to any given Product is the version in effect on that Product's Date of Delivery.